Product sheet

OAW-42 | 300304

Description	OAW-42 . .
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	OAW42, OAW 42

Age	46
Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	OAW-42(300304)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1615

Ploidy status	

OAW-42 | 300304

MSI-status	(MSS)
Karyotype	
Culture Medium	DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)
Supplements	10% FBS
Dissociation Reagent	
Doubling time	25~30
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Seeding density	1×10^4 /cm^2
Fluid renewal	1~2
Post-Thaw Recovery	. 24 .
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% $_{CO2}$, .

Flask Coating .

Freezing Procedure -78°C . .

Shipping Conditions -78°C . .

Storage Conditions -150°C -196°C . 80°C .

/ / HLA

Sterility PCR .

, .

OAW-42 | 300304

HLA	**A***: '03:01:01, '30:02:01 **B***: '07:02:01, '18:01:01 **C***: '05:01:01, '07:02:01 **DRB1***: '01:01:01, '03:01:01 **DQA1***: '01:01:01, '05:01:01 **DQB1***: '02:01:01, '05:01:01 **DPB1***: '02:02:01g, '04:02:01g **E**: '01:03:02