

**Hep-66.3A | 400206**

**Description** Hep-66.4A , C57BL/6J . Hep-66.4A  
Hep-66.4A , . Hep-66.4A DNA  
p53 . Hep-66.4A p53 c-Ha-ras

**Organism**

**Tissue**

**Disease**

**Synonyms** HP-66.3A, 66.3A

**Breed/Subspecies** C57BL/6J

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation** Hep-66.3A( 400206)

**Biosafety level** 1

**NCBI\_TaxID** 10090

**CellosaurusAccession** CVCL\_5771

**Hep-66.3A | 400206**

**Protein expression** 8, 18,

**Tumorigenic** , B6C3F1

**Mutational profile** P53

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO<sub>3</sub>, w: 1.0mM ( 820300a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 3~5

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

Hep-66.3A | 400206

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	. .

**Incubation Atmosphere** 37°C, 5%<sub>CO2</sub> .

**Flask Coating**

**Freezing Procedure** -78°C . . . . .

**Shipping Conditions** -78°C . . . . .

**Storage Conditions** -150°C -196°C .80°C . . . . .

/ / HLA

**Sterility** PCR . . . . .