

Hep-66.3A | 400206

Description Hep-66.4A , C57BL/6J . Hep-66.4A
Hep-66.4A , . Hep-66.4A DNA
p53 . Hep-66.4A p53 c-Ha-ras

Organism

Tissue

Disease

Synonyms HP-66.3A, 66.3A

Breed/Subspecies C57BL/6J

Age

Gender

Morphology

Growth properties

Citation Hep-66.3A(400206)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_5771

Hep-66.3A | 400206

Protein expression 8, 18,

Tumorigenic , B6C3F1

Mutational profile P53

Culture Medium DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 3~5

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Hep-66.3A | 400206

| Thawing and Culturing Cells | |
|-----------------------------|------------------|
| 1. | . |
| 2. | -150°C , 3 . |
| 3. | 37°C 40~60 . |
| 4. | , 70% . |
| 5. | 8ml 15ml . |
| 6. | 300 x g 3 . |
| 7. | 10ml . T25 , T25 |
| 8. | . |

Incubation Atmosphere 37°C, 5% CO₂ .

| Flask Coating | |
|---------------|---|
| | . |

Freezing Procedure -78°C .

| Shipping Conditions | |
|---------------------|---------|
| | -78°C . |

Storage Conditions -150°C -196°C .80°C .

/ / HLA

| Sterility | |
|-----------|-------|
| | PCR . |
| | . |