

P388-D1 | 400308

Description [P388 D1(IL-1)] -1(IL-1) .

Organism

Tissue

Disease

Synonyms P-388D1, P388D1, P388.D1, P3 88 D1

Breed/Subspecies DBA/2

Gender

Morphology

Cell type

Growth properties

Citation P388-D1(400308)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_0477

Antigen expression H-2d

P388-D1 | 400308

Tumorigenic ,

Viruses MAP : , (), ,K- , , 3, PVM, LCM, M. , MVM, GD VII, H-1, MHV, LDV, RCV/SDA, M-

Reverse transcriptase

MSI-status

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Subculturing . 5×10^5 /ml , $3 \times 10^5 \sim 1 \times 10^6$ /ml .

Seeding density 1×10^6 /ml

Fluid renewal 2

Post-Thaw Recovery . ⁶ 24 . . 10

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

P388-D1 | 400308

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating

Freezing Procedure -78°C .

Shipping Conditions

-78°C .

Storage Conditions -150°C -196°C .80°C .

/ / HLA

Sterility PCR .