

MNNG-HOS(CL #5) | 300289

Description	MNNG/HOS CL #5 [R-1059-D] HOS N- -N'- -N- ⁷ (MNNG) 0.01 mcg/ml 100%
	, MNNG/HOS CL #5 , (:)

Organism	
Tissue	Bone

Disease	
Synonyms	MNNG/HOS, MNNG-HOS, HOS-MNNG, HOS/MNNG, MNNGHOS, MNNG/HOS(CL#5), MNNG/HOS F-5, MNNG, R-1059-D, TE85, Te85, TE-85, HOS-TE85, HOS TE-85, HOS TE 85, HOS TE85, HOS(TE85), HOS(TE85), HOS(TE85, F5), MNNG-HOS(TE 85, F-5), TE-85 F-5, HOS-Te85, TE 85.T, TE 85 CIF-5, TE-85 5

Age	13
------------	----

Gender	
---------------	--

Ethnicity	
------------------	--

Morphology	
-------------------	--

Growth properties	
--------------------------	--

Citation	MNNG-HOS(CL #5)(300289)
-----------------	--------------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_0439
-----------------------------	-----------

MNNG-HOS(CL #5) | 300289

Isoenzymes G6PD, B

Tumorigenic ,

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 2~3

Post-Thaw Recovery 5×10^4 , 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

MNNG-HOS(CL #5) | 300289

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3
3.	37°C 40~60
4.	, 70%
5.	8ml 15ml
6.	300 x g 3
7.	10ml . T25 , T25
8.	.

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating	
	.

Freezing Procedure -78°C .

Shipping Conditions	
	-78°C .

Storage Conditions -150°C -196°C .80°C

/ / HLA

Sterility	
	PCR .
	.

MNNG-HOS(CL #5) | 300289

HLA

A*: '02:11:01
B*: '52:01:01
C*: '12:02:02
DRB1*: '15:02:01G, '16:02:01
DQA1*: '01:02:02, '01:03:01
DQB1*: '05:02:01, '05:03:01
DPB1*: '02:01:02
E: '01:01:01