

Hep-56.1C | 400203

Description

Hep-56.1c , C57BL/6J . p53 . He
Hep-56.1c . K8 K18, K19 .
DNA Hep-56.1c , .

Organism

Tissue

Disease

Synonyms

HEP-56.1C, 56.1C, 56.1c

Breed/Subspecies

C57BL/6J

Age

Gender

Morphology

Growth properties

Citation

Hep-56.1C(400203)

Biosafety level

1

NCBI_TaxID

10090

CellosaurusAccession

CVCL_5768

Hep-56.1C | 400203

Culture Medium DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 3~5

Post-Thaw Recovery $4 \times 10^4 / \text{cm}^2$, 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Hep-56.1C | 400203

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C -80°C

/ / HLA

Sterility PCR