

**Hep-CLS-1H | 400197**

**Description** C3H/HE N (NDEA) C3H/HE .

**Organism**

**Tissue**

**Disease**

**Synonyms** HEP-CLS-1H

**Breed/Subspecies** C3H/HE

**Gender**

**Morphology**

**Growth properties**

**Citation** Hep-CLS-1H( 400197)

**Biosafety level** 1

**NCBI\_TaxID** 10090

**CellSaurusAccession** CVCL\_5774

**Tumorigenic** ,C3H/HE

**Hep-CLS-1H | 400197**

**Culture Medium** F12, w: 1.0mM , w: 1.0mM , w: 1.1g/L NaHCO3( 820600a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 3~5

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
  2. -150°C , 3 .
  3. 37°C 40~60 .
  4. , 70% .
  5. 8ml 15ml .
  6. 300 x g 3 .
  7. 10ml . T25 , T25
  8. .

**Incubation Atmosphere** 37°C, 5% CO2' .

**Flask Coating** .

**Freezing Procedure** -78°C .

Hep-CLS-1H | 400197

**Shipping  
Conditions**

-78°C

**Storage  
Conditions**

-150°C

-196°C

-80°C

/

/ HLA

**Sterility**

PCR