Product sheet

P19 | 400416

Description	P19 C3H/He . 0.1mM β- P19 (Mus musculus) , , , , , . , . 1982 , P19S18, P19D3, P19RAC65 P19C16 P19 . DMSO P19 . , .
Organism	
Tissue	
Disease	
Synonyms	P-19

Breed/Subspecies	C3H/He
Gender	
Morphology	
Growth properties	

Citation	P19(400416)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_2153

P19 | 400416

Karyotype	N = 40, xY

Culture Medium	DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion 820
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS (T25 3~5ml PBS, T75 5~10ml). TrypleExpress(T25 1-2ml, T
Split ratio	1:10
Seeding density	48
Fluid renewal	2
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	
Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .
STR	**Amelogenin**: x,x