

NCI-H358 | 300430

Description	H-358	NCIH358	NCI-H358	(NSCLC)	.
			(EGFR)	, EGFR	. NCI-H358
	NCI-H358		p53	. H358	SOS1 PROTAC
	,	NCI-H358		.	EGFR KRAS

Organism

Tissue

Disease

Synonyms NCI-H358, H-358, NCIH358

Age

Gender

Ethnicity

Cell type

Growth properties

Citation NCI-H358(300430)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1559

NCI-H358 | 300430

Protein expression UGT -, GST +, PST +, p53 -

Tumorigenic , .

Mutational profile P53

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

NCI-H358 | 300430

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere

37°C, 5% CO₂

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR