

NCI-H1703 | 305090

Description	NCI-H1703 54	1	.	,	.
	NCI-H1703	, NSCLC	.content	.	:content

Organism

Tissue

Disease

Synonyms	NCI-H1703, H-1703, NCIH1703
-----------------	-----------------------------

Age	54
------------	----

Gender

Ethnicity

Morphology

Growth properties

Citation	NCI-H1703(305090)
-----------------	------------	---------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_1490
-----------------------------	-----------

NCI-H1703 | 305090

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

NCI-H1703 | 305090

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR