

**HROC257 T0 M1 | 300815**

**Description** 2006 PD CRC .

**Organism**

**Tissue** , UICC IV, CRC ( , TNM T4N2Mx, R1L1V1 G3, Lk(n) +8,  $\Sigma$  Lk(n) 15) .

**Disease**

**Synonyms** HROC257x

**Age** 84

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** HROC257 T0 M1( 300815)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1U97

**Protein expression** PTEN

**HROC257 T0 M1 | 300815**

<b>Tumorigenic</b>			
<b>Viruses</b>	SV40, JC/BK, HBV, HCV, HIV		
<b>Ploidy status</b>			
<b>MSI-status</b>	MSI-H		
<b>Mutational profile</b>	K-, N-, H-, PIK3CAwt, B-		
<b>Culture Medium</b>	DMEM: F12(1:1), w: 3.1 g/L, w: 2.5mM L-, w: 15mM HEPES, w: 0.5mM, w: 1.2 g/L NaHCO3 (Cytion		
<b>Supplements</b>	10% FBS		
<b>Dissociation Reagent</b>			
<b>Doubling time</b>	29		
<b>Subculturing</b>	PBS	. T25	3~5ml, T75 5~10ml PBS . T25
<b>Seeding density</b>	2 x 10 <sup>4</sup> /cm <sup>2</sup>		
<b>Fluid renewal</b>	3~5		
<b>Post-Thaw Recovery</b>			
<b>Freeze medium</b>	(FBS) + 10% DMSO, CM-1(Cytion 800100)		

**HROC257 T0 M1 | 300815**

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

**Flask Coating**

.

**Freezing Procedure** -78°C .

**Shipping Conditions**

-78°C .

**Storage Conditions** -150°C -196°C .80°C .

/ / HLA

**Sterility** PCR .