

**Hep-74.3A | 400208**

<b>Description</b>	Hep-74.3	, C3H/He	.	. Hep-74.3
	Hep-74.3		.	. Hep-74.3 DNA
		p53	.	. Hep-74.3 p53 c-Ha-ras

**Organism**

<b>Tissue</b>
---------------

**Disease**

<b>Synonyms</b>	Hep-74.3, HEP-74.3a, 74.3A, 74.3a
-----------------	-----------------------------------

<b>Breed/Subspecies</b>	C57BL/6J
-------------------------	----------

**Age**

<b>Gender</b>
---------------

**Morphology**

<b>Growth properties</b>
--------------------------

<b>Citation</b>	Hep-74.3A(	400208)
-----------------	------------	---------

**Biosafety level** 1

<b>NCBI_TaxID</b>	10090
-------------------	-------

**CellosaurusAccession** CVCL\_5773

**Hep-74.3A | 400208**

**Protein expression** 8, 18,

**Tumorigenic** , C3H/HE

**Mutational profile** P53

**Culture Medium** F12, w: 1.0mM , w: 1.0mM , w: 1.1g/L NaHCO3( 820600a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Seeding density**  $1 \times 10^4 / \text{cm}^2$

**Fluid renewal** 3~5

**Post-Thaw Recovery**  $5 \times 10^4$  , 24 .

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Hep-74.3A | 400208**

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3
3.	37°C 40~60
4.	, 70%
5.	8ml 15ml
6.	300 x g 3
7.	10ml T25 , T25
8.	.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

Flask Coating	
	.

**Freezing Procedure** -78°C

Shipping Conditions	
	-78°C

**Storage Conditions** -150°C -196°C .80°C

/ / HLA

Sterility	
	PCR
	.