

AH-130 FN | 500451

Description AH-130 FN , AH-130
AH-130
130 FN . AH-130 FN .

Organism

Tissue

Disease

Synonyms AH130FN-TC, AH130FN, AH-130F(N), AH-130FN, AH 130 FN

Morphology ,

Growth properties ,

Citation AH-130 FN(500451)

Biosafety level 1

NCBI_TaxID 10116

CellosaurusAccession CVCL_5683

Tumorigenic , .

Viruses RAP ..

AH-130 FN | 500451

Culture Medium DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion 820100)

Supplements 10% FBS

Subculturing 5×10^5 /ml , , ml .. 1×10^6

Seeding density 1×10^6 /cm²

Fluid renewal 3~5

Post-Thaw Recovery 5×10^4 /cm² , 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating .

AH-130 FN | 500451

Freezing Procedure	-78°C	.
---------------------------	-------	---

Shipping Conditions	-78°C	.
----------------------------	-------	---

Storage Conditions	-150°C	-196°C	.80°C	.
---------------------------	--------	--------	-------	---

/ / HLA

Sterility	PCR	.
------------------	-----	---