

NCI-H157 | 300387

Description
NCI-H157, (NSCLC) . NCI-H157 NSCLC
, HIF-1α siRNA (DDP) NCI-H157 . HIF-1α 3 9
NCI-H157 . ,* * L. Fas NCI-H157

Organism

Tissue

Disease

Synonyms NCI H157, H157, H-157, NCI-157

Age 59

Gender

Growth properties

Citation NCI-H157(300387)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0463

NCI-H157 | 300387

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

Freezing Procedure -78°C .

Shipping Conditions -78°C .

NCI-H157 | 300387

Storage Conditions	-150°C	-196°C	-80°C
---------------------------	--------	--------	-------

/ / HLA

Sterility	PCR
------------------	-----