

**HROC50 T1 M5 | 300839**

**Description** 2006 PD CRC .

**Organism**

**Tissue** , UICC lib, CRC ( , TNM T4N0M0R0L0V0, G2, Lk(n) + 0,  $\Sigma$  Lk(n) 34)

**Disease**

**Synonyms** HROC50

**Age** 67

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** HROC50 T1 M5( 300839)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1G02

**Protein expression** CD326pos, HLA I

**HROC50 T1 M5 | 300839**

<b>Tumorigenic</b>			
<b>Viruses</b>	SV40, JC/BK, HBV, HCV, HIV		
<b>Ploidy status</b>			
<b>MSI-status</b>	MSI-H		
<b>Mutational profile</b>	APCwt, K-Raswt, p53mut, B-Rafmut		
<b>Culture Medium</b>	DMEM: F12(1:1), w: 3.1 g/L, w: 2.5mM L-, w: 15mM HEPES, w: 0.5mM, w: 1.2 g/L NaHCO3 (Cytion		
<b>Supplements</b>	10% FBS		
<b>Dissociation Reagent</b>			
<b>Doubling time</b>	25~40		
<b>Subculturing</b>	PBS, T25, 3~5ml, T75, 5~10ml PBS, T25		
<b>Seeding density</b>	2 x 10 <sup>4</sup> /cm <sup>2</sup>		
<b>Fluid renewal</b>	3~5		
<b>Post-Thaw Recovery</b>	1~2		
<b>Freeze medium</b>	(FBS) + 10% DMSO, CM-1(Cytion 800100)		

**HROC50 T1 M5 | 300839**

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

**Flask Coating**

.

**Freezing Procedure** -78°C .

**Shipping Conditions**

-78°C .

**Storage Conditions** -150°C -196°C .80°C .

/ / HLA

**Sterility** PCR .