

LCLC-103H | 300169

Description

LCLC-103H (LCLC)
LCLC-103H PAS(-)
103H

Organism

Tissue

Disease

Metastatic site

Synonyms LCLC103H, -103H

Age 61

Gender

Ethnicity

Morphology

Growth properties

Citation LCLC-103H(300169)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1375

LCLC-103H | 300169

Ploidy status

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Doubling time 26

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $0.5 \sim 1 \times 10^4$ /cm²

Fluid renewal 2~3

Post-Thaw Recovery 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

LCLC-103H | 300169

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere

37°C, 5% CO₂

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR