

NCI-H1299 | 300485

Description	H1299	NCI-H1299	43		. H1299	H292	(NSCLC)	.
		, H1299	p53		p53		. KRAS	
			KRAS		.		.	
	H1299	5		. H1299	22~30	2	. H1299	
		B(NMB)	0.1 pmol/mg		(GRP)		.	A549

H1299

Organism

Tissue

Disease

Synonyms

H1299, H-1299, NCH1299

Age

59

Ethnicity

Growth properties

Citation

NCI-H1299(300485)

Biosafety level

1

NCBI_TaxID

9606

CellSaurusAccession

CVCL_0060

NCI-H1299 | 300485

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS 2.5g/L 10mM HEPES

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

NCI-H1299 | 300485

**Freezing
Procedure**

-78°C

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility

PCR