

NCI-H1299 | 300485

Description NCI-H1299(H1299) (NSCLC) . H292 H1299
, H1299 TP53 p53 . KRAS , KRAS
H1299 (EMT),
H1299 (GRP) , B(NMB) ,

Organism

Tissue

Disease

Synonyms H1299, H-1299, NCH1299

Age 59

Ethnicity

Growth properties

Citation NCI-H1299(300485)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0060

NCI-H1299 | 300485

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS 2.5g/L 10mM HEPES

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

Freezing Procedure -78°C .

NCI-H1299 | 300485

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C

.80°C

/ / HLA

Sterility

PCR