

WERI-Rb-1 | 300632

**Description**

WERI-Rb-1

WERI-Rb-1

**Organism**

**Tissue**

**Disease**

**Applications**

3D

**Synonyms**

WERI-RB-1, WERI-Rb 1, WERI-Rb1, WERI-RB1, WERI Rb-1, WERIRb1, WERI, - -1

**Age**

1

**Gender**

**Morphology**

**Growth properties**

**Citation**

WERI-Rb-1( 300632)

**Biosafety level**

1

**NCBI\_TaxID**

9606

**CellosaurusAccession**

CVCL\_1792

**WERI-Rb-1 | 300632**

**Isoenzymes** ES-D, 1, G6PD, B, GLO-I, 2, Me-2, 1, PGM1, 1, PGM3, 0

**Tumorigenic** ,

**Viruses** EBV -, HBV -, HCV -, HHV-8 -, HIV-1 -, HIV-2 -, HTLV-1/2 -, MLV -, SMRV -

**Reverse transcriptase**

**Karyotype** 3.9% - 46(41-48)2n>xx, +6, -10, -10, -14, -22, +3mar, add(3)(q25), add(3)(q25), add(4)(p15), add(5)(q35), i(6q) dEL(7)(P21), ADD(9)(Q33), DER(13)X2, ADD(16)(Q23), ADD(16)(Q23), I(17Q), ADD(19)(Q13) - ( ? ) 13 -

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)

**Supplements** 10% FBS 0.01 mg/mL

**Subculturing** <sup>5</sup> /ml , , ml .. 1 x 10

**Freeze medium** 50% + 40% FBS + 10% DMSO CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

WERI-Rb-1 | 300632

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C .80°C

/ / HLA

**Sterility** PCR