

KATO-III | 300381

Description	KATO-III
	KATO-III

Organism

Tissue

Disease

Metastatic site

Synonyms	III, -III, III, III, III, 3, JTC-28, -28
-----------------	--

Age	57
------------	----

Gender

Ethnicity

Morphology

Growth properties	/
--------------------------	---

Citation	KATO-III(300381)
-----------------	-------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_0371
-----------------------------	-----------

KATO-III | 300381

Protein expression P53, CEA

Antigen expression B, Rh+

Isoenzymes PGM3, 1, PGM1, 1, ES-D, 1, AK-1, 1, GLO-1, 2, G6PD, B, : 0.0742

Tumorigenic ,

Karyotype 2S 6.2% .9 S ,4 . (2)

Culture Medium F12, w: 1.0mM , w: 1.0mM , w: 1.1g/L NaHCO3(820600a)

Supplements 10% FBS

Dissociation Reagent

Doubling time 36

Subculturing 15ml PBS (T25 3~5ml, T75 5~10ml).

Seeding density 2×10^4 /cm²~3 .

Fluid renewal 3~5

Post-Thaw Recovery 5×10^4 /cm² , 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

KATO-III | 300381

**Thawing and
Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation
Atmosphere**

37°C, 5% CO₂ .

Flask Coating

**Freezing
Procedure**

-78°C .

**Shipping
Conditions**

-78°C .

**Storage
Conditions**

-150°C -196°C .80°C .

/ / HLA

Sterility

PCR .

KATO-III | 300381

HLA

A*: '02:01:01, '02:07:01
B*: '15:01:01, '46:01:01
C*: '01:02:01, '03:03:01
DRB1*: '08:03:02, '15:01:01G
DQA1*: '01:02:01, '01:03:01
DQB1*: '06:01:01, '06:02:01
DPB1*: '02:01:02, '02:02:01
E: '01:03:02