

MDA-kb2 | 305108

Description MDA-kb2 . (ER) (AR) ,
, MDA-kb2 AR . 10%

Organism

Tissue ,

Disease

Metastatic site

Synonyms MDA-Kb2

Age 48

Gender

Morphology

Growth properties

Citation MDA-kb2 (Cytion 305108)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_6421

GMO Status GMO-S1: (MDA-kb2) - (firefly-Luc) ,

MDA-kb2 | 305108

Protein expression	(GR)	(AR)	MMTV	(firefly-Luc)
---------------------------	------	------	------	---------------

Culture Medium	L-15, w: 2.0mM L-	, 0.55g/L NaHCO3(.	.)
-----------------------	-------------------	-------------------	---	----

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	
-----------------------------	--

Subculturing	PBS	. T25	3~5ml, T75	5~10ml	PBS	.	T25
---------------------	-----	-------	------------	--------	-----	---	-----

Fluid renewal	2~3
----------------------	-----

Freeze medium	(FBS) + 10% DMSO	,	CM-1(Cytion	800100)
----------------------	-------------------	---	-------------	---------

Thawing and Culturing Cells	1.	.
	2.	-150°C , 3 .
	3.	37°C 40~60 .
	4.	, 70% .
	5.	8ml 15ml .
	6.	300 x g 3 .
	7.	10ml . T25 , T25
	8.	.

MDA-kb2 | 305108

**Incubation
Atmosphere**

37°C, 5% CO₂

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility

PCR