

BS-C-1 | 305009

Description	BS-C-1	.1960	,
	BS-C-1		.
	BS-C-1	.	DNA

Organism ()

Tissue

Synonyms BSC-1, BSC1, GMK, - -1

Morphology

Growth properties

Citation	BS-C-1(305009)
-----------------	-----------------

Biosafety level 1

NCBI_TaxID	9534
-------------------	------

CellosaurusAccession CVCL_0607

Protein expression

Culture Medium	EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS(820100a)
-----------------------	---

BS-C-1 | 305009

Supplements 10% FBS 1% NEAA

Dissociation Reagent

Doubling time 72

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO₂' .

Flask Coating

Freezing Procedure -78°C .

BS-C-1 | 305009

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C

-196°C

-80°C

/

/ HLA

Sterility

PCR