

RBL-1 | 500389

**Description**

IgE

**Organism**

**Tissue**

**Disease**

**Synonyms**

RBL 1, RBL-I, RBL,

-1

**Breed/Subspecies**

Wistar

**Morphology**

**Cell type**

**Growth properties**

/

**Citation**

RBL-1(

500389)

**Biosafety level**

1

**NCBI\_TaxID**

10116

**CellosaurusAccession**

CVCL\_0496

**Receptors expressed**

IgE Fc

**Products**

RBL-1 | 500389

**Ploidy status**

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3( 820700a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** 15ml PBS (T25 3~5ml, T75 5~10ml ).

**Seeding density**  $2 \sim 4 \times 10^4$  /ml

**Fluid renewal** 2~3

**Post-Thaw Recovery** 24~48

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

RBL-1 | 500389

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

Flask Coating	
	.

**Freezing Procedure** -78°C .

Shipping Conditions	
	-78°C .

**Storage Conditions** -150°C -196°C .80°C .

/ / HLA

Sterility	
	PCR .
	.