

**HK-CRISPR-NUP205-mEGFP | 301574**

<b>Description</b>	HK-CRISPR-NUP205-mEGFP	205(NUP205)	. CRISPR-Cas9
	NUP205	.	NUP205 mEGFP
	HK-CRISPR-NUP205-mEGFP	.	.

<b>Organism</b>
<b>Tissue</b>

<b>Disease</b>	
<b>Metastatic site</b>	( )

<b>Applications</b>	(NPC)	; NUP205	; mEGFP	;	; CRISPR (knock-in)	; -	; NPC
---------------------	-------	----------	---------	---	---------------------	-----	-------

<b>Synonyms</b>	HK-CRISPR-NUP205-mEGFP #81
-----------------	----------------------------

<b>Age</b>	30
------------	----

<b>Gender</b>
<b>Ethnicity</b>

<b>Morphology</b>
<b>Cell type</b>

<b>Growth properties</b>
--------------------------

<b>Citation</b>	HK-CRISPR-NUP205-mEGFP(	301574)
-----------------	-------------------------	---------

<b>Biosafety level</b>	1
------------------------	---

**HK-CRISPR-NUP205-mEGFP | 301574**

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_UR49

**Depositor** (EMBL)

**GMO Status** GMO-S1: HeLa Kyoto NUP205 CRISPR mEGFP .

**Products** EGFP( )

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM ( 820300a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

HK-CRISPR-NUP205-mEGFP | 301574

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3
3.	37°C 40~60
4.	, 70%
5.	8ml 15ml
6.	300 x g 3
7.	10ml T25 , T25
8.	.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C .80°C

/ / HLA

**Sterility** PCR