

**HK-CRISPR-NUP205-mEGFP | 301574**

<b>Description</b>	HK-CRISPR-NUP205-mEGFP	205(NUP205)	. CRISPR-Cas9
	NUP205	.	NUP205 mEGFP
	HK-CRISPR-NUP205-mEGFP	.	.

<b>Organism</b>	
<b>Tissue</b>	

<b>Disease</b>	
<b>Synonyms</b>	HK-CRISPR-NUP205-mEGFP #81

<b>Age</b>	30
------------	----

<b>Gender</b>	
<b>Ethnicity</b>	

<b>Morphology</b>	
<b>Growth properties</b>	

<b>Citation</b>	HK-CRISPR-NUP205-mEGFP(	301574)
-----------------	-------------------------	---------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_UR49
-----------------------------	-----------

<b>Depositor</b>	(EMBL)
------------------	--------

**HK-CRISPR-NUP205-mEGFP | 301574**

<b>GMO Status</b>	GMO-S1: HeLa Kyoto	NUP205	CRISPR	mEGFP	.
<b>Products</b>	EGFP( )				
<b>Culture Medium</b>	DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM ( 820300a)				
<b>Supplements</b>	10% FBS				
<b>Dissociation Reagent</b>					
<b>Subculturing</b>	PBS	. T25	3~5ml, T75	5~10ml	PBS . T25
<b>Fluid renewal</b>	2~3				
<b>Freeze medium</b>	(FBS ) + 10% DMSO , CM-1(Cytion 800100)				
<b>Thawing and Culturing Cells</b>	<ol style="list-style-type: none"> <li>1.</li> <li>2. -150°C , 3</li> <li>3. 37°C 40~60</li> <li>4. , 70%</li> <li>5. 8ml 15ml</li> <li>6. 300 x g 3</li> <li>7. 10ml . T25 , T25</li> <li>8.</li> </ol>				

HK-CRISPR-NUP205-mEGFP | 301574

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C -80°C

/ / HLA

**Sterility** PCR