

SCLC-22H | 300445

Description	SCLC-22H	(SCLC)	(SCLC)	SCLC-22H
	SCLC-22H	(NSE), (CEA),	-BB(CK-BB)	SCLC
	SCLC-22H	SCLC		

Organism
Tissue

Disease
Metastatic site

Synonyms	SCLC22H
-----------------	---------

Age	46
Gender	

Ethnicity
Morphology

Growth properties

Citation	SCLC-22H(300445)
Biosafety level	1

NCBI_TaxID	9606
CellosaurusAccession	CVCL_2186

SCLC-22H | 300445

Tumorigenic ,

Reverse transcriptase

Karyotype 43

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Subculturing . 5×10^5 /ml , $1 \times 10^5 \sim 1 \times 10^6$ /ml

Seeding density 1×10^5 /mL

Fluid renewal 1~2

Freeze medium 50% + 40% FBS + 10% DMSO CM-1(Cytion 800100)

SCLC-22H | 300445

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	. .

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating	
.	.

Freezing Procedure -78°C .

Shipping Conditions	
-78°C	.

Storage Conditions -150°C -196°C .80°C .

/ / HLA

Sterility	
PCR	.
.	.

SCLC-22H | 300445

HLA

A*: '01:01:01, '32:01:01

B*: '27:05:02, '51:01:01

C*: '02:02:02

DRB1*: '04:01:01, '09:01:02G

DQA1*: '03:01:01, '03:02:01

DQB1*: '03:02:01, '03:03:02

DPB1*: '02:01:02, '04:01:01

E: '01:01:01