

O-342 | 500305

Description	O-342	,				24
	O-342	,	O-342/DDP			
	O-342/DDP		(GSH+GSSG)	3.04 nmol/10 ⁶	, O-342	1.37 nmol/10 ⁶
	O-342	,	DNA			
	, O-342		O-342/DDP			

Organism

Tissue

Disease

Breed/Subspecies BDIx

Gender

Morphology

Growth properties

Citation O-342(500305)

Biosafety level 1

NCBI_TaxID 10116

CellosaurusAccession CVCL_5847

O-342 | 500305

Culture Medium EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS(820100a)

Supplements 10% FBS 1% NEAA

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

Freezing Procedure -78°C .

O-342 | 500305

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C

.80°C

/ / HLA

Sterility

PCR