

**Y3-Ag 1.2.3 | 305207**

**Description** S210 . 8- HAT . - B

**Organism**

**Tissue** ,

**Disease**

**Synonyms** Y3.AG.1.2.3, Y3-Ag1.2.3, Y3-Ag1,2,3, Y3Ag1.2.3, Y-3-Ag1.2.3, 210-RC Y3-Ag 1,2,3, 210RCY3-Ag1.2.3, 210RCY3-Ag123, Y3-Ag123, Y3, Y3M

**Breed/Subspecies** LOU/C

**Morphology**

**Growth properties**

**Citation** Y3-Ag 1.2.3( 305207)

**Biosafety level** 1

**NCBI\_TaxID** 10116

**CellosaurusAccession** CVCL\_4342

**Protein expression**

**Y3-Ag 1.2.3 | 305207**

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM ( 820300a)

**Supplements** 10% FBS

**Subculturing** <sup>5</sup> /ml , , ml .. 1 x 10

**Split ratio** 1?10^5 to 1?10^6 cells/mL

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO2' .

**Flask Coating** .

**Freezing Procedure** -78°C .

Y3-Ag 1.2.3 | 305207

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C .80°C

/ / HLA

**Sterility** PCR