

**B16-F0 | 300308**

<b>Description</b>	B16-F0	B16	.	. B16-F0
	B16-F0		.	.

**Organism**

**Tissue**

**Disease**

<b>Synonyms</b>	B16/F0, B16F0
-----------------	---------------

<b>Breed/Subspecies</b>	C57BL/6
-------------------------	---------

**Gender**

**Morphology**

**Cell type**

**Growth properties**

<b>Citation</b>	B16-F0(	300308)
-----------------	---------	---------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10090
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_0604
-----------------------------	-----------

**B16-F0 | 300308**

**Tumorigenic** ,

**Products**

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM ( 820300a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO2' .

**B16-F0 | 300308**

---

**Flask Coating**

**Freezing Procedure**

-78°C

**Shipping Conditions**

-78°C

**Storage Conditions**

-150°C -196°C .80°C

/ / HLA

**Sterility**

PCR