

BEWO | 300123

Description

BeWo

CK 7 E- BeWo . VE- BeWo (hCG), (), , BeWo β-hCG JEG-3 , BeWo β-hCG hCG,

Organism

Tissue

Disease

Metastatic site

Synonyms

Age

Gender

Morphology

Growth properties

Citation BEWO(300123)

Biosafety level 1

BEWO | 300123

NCBI_TaxID 9606

CellosaurusAccession CVCL_0044

Isoenzymes G6PD, B

Virus susceptibility 3, ()

Reverse transcriptase

Products , (), , , , ,

Culture Medium F12K , w: 2.0mM L- , w: 2.0mM , w: 2.5g/L NaHCO3(820608a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density 1×10^4 /cm² .

Fluid renewal 2~3

Post-Thaw Recovery 5×10^4 , 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

BEWO | 300123

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3
3.	37°C 40~60
4.	, 70%
5.	8ml 15ml
6.	300 x g 3
7.	10ml T25 , T25
8.	.

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating	
	.

Freezing Procedure -78°C

Shipping Conditions	
	-78°C

Storage Conditions -150°C -196°C .80°C

/ / HLA

Sterility	
	PCR
	.

BEWO | 300123

HLA

A*: '01:01:01, '11:01:01

B*: '08:13, '35:01:01

C*: '04:01:01, '07:01:01

DRB1*: '01:03:01, '03:01:01

DQA1*: '01:01:01, '05:01:01

DQB1*: '02:01:01, '05:01:01

DPB1*: '01:01:01, '04:01:01

E: '01:01:01