Product sheet

HBL-100 │300178

Description	HBL-100 . 3 , 7
	HBL-100 . Y ,
Organism	
Tissue	
Disease	
Synonyms	HBL 100, HBL100

Age	27
Gender	
Ethnicity	
Morphology	
Growth properties	,

Citation	HBL-100(300178)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_4362

Product sheet

HBL-100 │300178

Antigen expression	HLA A1, A10, A11, B7, B8
Isoenzymes	G6PD, B, PGM1, 1, PGM3, 2, ES-D, 1, Me-2, 0, GLO-1, 2, AK-1, 1-2, : 0.0008
Tumorigenic	, . 35 . 35 .
Viruses	- (MPMV) D SV40 .
Reverse transcriptase	
Ploidy status	
MSI-status	(MSS)
Karyotype	67 , 2S 0.6% . 39 28 . 2q, 11q+, 11q, t(2c X Y PCR DNA Y .

Culture Medium	5a, w: 3.0g/L , w: , w: 2.0mM , w: 2.2g/L NaHCO3(820200a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Seeding density	1×10^4 /cm^2
Fluid renewal	2~3
Post-Thaw Recovery	5×10^4 /cm^2 , 24 .
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)

HBL-100 │300178

Thawing and Culturing Cells		
	1.	.
	2. -150°C	, 3 .
	3. 37°C 40~60	.
	4. , 70%	.
	5. 8ml 15ml	.
	6. 300 x g 3	.
	7. 10ml . T25	, T25
	8.	.

Incubation Atmosphere	37°C, 5% CO_2, .

Flask Coating	

Freezing Procedure	-78°C .	.

Shipping Conditions	-78°C .	.

Storage Conditions	-150°C -196°C . 80°C	.

/ / HLA

Sterility	PCR .
	, .

HBL-100 │300178

HLA   **A***: '01:01:01, '02:01:01
B*: '08:01:01, '40:01:02
C*: '03:04:01, '07:01:01
DRB1*: '03:01:01, '15:01:01
DQA1*: '01:02:01, '05:01:01
DQB1*: '02:01:01, '06:02:01
DPB1*: '04:01:01
E: '01:01, '01:03