

MDA-MB-453 | 305042

Description	MDA-MB-453	,	.	(AR)	(ER)
	MDA-MB-453		.		,

Organism

Tissue	,
---------------	---

Disease

Metastatic site

Synonyms MDA-MB 453, MDA MB 453, MDA-MB453, MDAMB453, MDA-453, MDA453, MD 453

Age	48
------------	----

Gender

Ethnicity

Morphology

Growth properties

Citation	MDA-MB-453 (305042)
-----------------	----------------------

Biosafety level 1

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession CVCL_0418

MDA-MB-453 | 305042

Receptors expressed (FGF),

Tumorigenic

Culture Medium DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion

820

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Product sheet

MDA-MB-453 | 305042

Incubation Atmosphere	37°C, 5% CO ₂
Flask Coating	None
Shipping Conditions	-78°C
Storage Conditions	-150°C -196°C .80°C
/	/ HLA
Sterility	PCR