

NCI-H1568 | 305137

Description 1986 12 .

Organism

Tissue

Disease

Metastatic site

Synonyms NCI-H1568, H-1568, NCIH1568

Age 48

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H1568(305137)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1476

NCI-H1568 | 305137

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Doubling time 42.5

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

NCI-H1568 | 305137

Freezing Procedure	-78°C	.
---------------------------	-------	---

Shipping Conditions	-78°C	.
----------------------------	-------	---

Storage Conditions	-150°C	-196°C	.80°C	.
---------------------------	--------	--------	-------	---

/ / HLA

Sterility	PCR	.
------------------	-----	---