

DSL-6B-C2 | 500167

Description	DSL-6B/C2	DSL-6	1986
	DSL-6B/C2		1~2

Organism

Tissue

Disease

Metastatic site

Synonyms	DSL-6B/C2, DSL6B/C2
-----------------	---------------------

Breed/Subspecies

Age	2
------------	---

Gender

Morphology

Cell type

Growth properties

Citation	DSL-6B-C2(500167)
-----------------	--------------------

Biosafety level	1
------------------------	---

NCBI_TaxID	10116
-------------------	-------

CellosaurusAccession	CVCL_4167
-----------------------------	-----------

DSL-6B-C2 | 500167

Tumorigenic , ,

Products

Culture Medium DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion 820

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$ 4 .

Fluid renewal 2

Post-Thaw Recovery 5×10^4 , 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

DSL-6B-C2 | 500167

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	. .

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating	
	.

Freezing Procedure -78°C .

Shipping Conditions	
	-78°C .

Storage Conditions -150°C -196°C .80°C .

/ / HLA

Sterility	
	PCR .
	. .