

**WEHI-3 | 400381**

<b>Description</b>	WEHI-3 , BALB/c
	WEHI-3

**Organism**

**Tissue**

**Disease**

<b>Synonyms</b>	WEHI 3, WEHI3, Wehi-3
-----------------	-----------------------

<b>Breed/Subspecies</b>	BALB/c
-------------------------	--------

**Morphology**

**Cell type**

**Growth properties**

<b>Citation</b>	WEHI-3( 400381)
-----------------	-----------------

<b>Biosafety level</b>	2
------------------------	---

<b>NCBI_TaxID</b>	10090
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_3622
-----------------------------	-----------

<b>Receptors expressed</b>	(Fc), (C3)
----------------------------	------------

**WEHI-3 | 400381**

**Viruses** ( )

**Products** , (G-CSF), -3( 3, IL-3)

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO<sub>3</sub>( 820700a)

**Supplements** 10% FBS

**Subculturing** <sup>6</sup> /mL 5 x 10<sup>5</sup> /mL 3 x 10<sup>5</sup> ~ 1 x 10<sup>6</sup> .

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

**Flask Coating**

WEHI-3 | 400381

<b>Freezing Procedure</b>	-78°C	.
---------------------------	-------	---

<b>Shipping Conditions</b>	-78°C	.
----------------------------	-------	---

<b>Storage Conditions</b>	-150°C	-196°C	.80°C	.
---------------------------	--------	--------	-------	---

/ / HLA

<b>Sterility</b>	PCR	.
------------------	-----	---