

**WEHI-3 | 400381**

**Description** WEHI-3 , BALB/c  
WEHI-3

**Organism**

**Tissue**

**Disease**

**Synonyms** WEHI 3, WEHI3, Wehi-3

**Breed/Subspecies** BALB/c

**Morphology**

**Cell type**

**Growth properties**

**Citation** WEHI-3( 400381)

**Biosafety level** 2

**NCBI\_TaxID** 10090

**CellosaurusAccession** CVCL\_3622

**Receptors expressed** (Fc), (C3)

**WEHI-3 | 400381**

**Viruses** ( )

**Products** , (G-CSA), -3( 3, IL-3)

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO<sub>3</sub>( 820700a)

**Supplements** 10% FBS

**Subculturing** <sup>6</sup> /mL 5 x 10<sup>5</sup> /mL 3 x 10<sup>5</sup> ~ 1 x 10<sup>6</sup> .

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

**Flask Coating**

WEHI-3 | 400381

**Freezing Procedure**

-78°C

**Shipping Conditions**

-78°C

**Storage Conditions**

-150°C -196°C .80°C

/ / HLA

**Sterility**

PCR