

HT-1376 | 305100

Description	HT-1376	,	3	.	HT-1376	.	HT-1376
	HT-1376	9p21	.				CDKN2, CDKN2B, MTAP
	pRb	.					
	HT-1376	,		.		HT-1376	

Organism

Tissue

Disease

Synonyms	HT1376, HT 1376, HT 1376.T
-----------------	----------------------------

Age	58
------------	----

Gender

Ethnicity

Morphology

Growth properties

Citation	HT-1376(305100)
-----------------	----------	---------

Biosafety level 1

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession CVCL_1292

HT-1376 | 305100

Protein expression

Tumorigenic

Culture Medium

EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO₃, w: EBSS(820100a)

Supplements

10% FBS 1% NEAA

Dissociation Reagent

Doubling time

31

Subculturing

PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal

2~3

Freeze medium

(FBS) + 10% DMSO , CM-1(Cytion 800100)

HT-1376 | 305100

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO₂ .

Flask Coating

Freezing Procedure -78°C .

Shipping Conditions

-78°C .

Storage Conditions -150°C -196°C .80°C .

/ / HLA

Sterility PCR .