

HROC300 T2 M1 | 300866

| | |
|--------------------|--|
| Description | HROC300 T2 M1 HROC() . "T2" |
| | HROC300 T2 M1 , , . . |
| | HROC (CIN), CpG (CIMP), (MSS), - (MSI-H) |
| | , HROC300 T2 M1 , - . |

| | |
|-----------------|--|
| Organism | |
| Tissue | |

| | |
|----------------|--|
| Disease | , TNM T4aN1bM1R2L0V1, G2, Lk(n) + 3, Σ Lk(n) 22 |
|----------------|--|

| | |
|---------------|----|
| Age | 73 |
| Gender | |

| | |
|--------------------------|--|
| Ethnicity | |
| Growth properties | |

| | |
|------------------------|------------------------|
| Citation | HROC300 T2 M1(300866) |
| Biosafety level | 1 |

| | |
|-----------------------------|-----------|
| NCBI_TaxID | 9606 |
| CellosaurusAccession | CVCL_VQ94 |

| | |
|-------------------|-----|
| MSI-status | MSS |
|-------------------|-----|

HROC300 T2 M1 | 300866

Culture Medium DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion 820

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 3~5

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating

HROC300 T2 M1 | 300866

**Freezing
Procedure**

-78°C

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C -196°C .80°C

/ / HLA

Sterility

PCR