

**Product sheet**

**L Wnt-3A | 305184**

<b>Description</b>	L Wnt-3A	L	.	Wnt	Wnt-3A	. W
	L Wnt-3A	Wnt-3A	,	Wnt	.	
	Wnt-3A	L Wnt-3A		Wnt	.	Wnt

<b>Organism</b>	
<b>Tissue</b>	,

<b>Synonyms</b>	L-Wnt-3A, L-Wnt3A, LWnt3A, LWnt3A, LWnt-3A
-----------------	--

<b>Breed/Subspecies</b>	C3H/An
-------------------------	--------

<b>Age</b>	100
------------	-----

<b>Gender</b>	
---------------	--

<b>Morphology</b>	
-------------------	--

<b>Growth properties</b>	
--------------------------	--

<b>Citation</b>	L Wnt-3A( 305184)
-----------------	-------------------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10090
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_0635
-----------------------------	-----------

<b>GMO Status</b>	GMO-S1: L (L Wnt-3A) PGK Wnt3a Wnt3a . L
-------------------	--

**L Wnt-3A | 305184**

**Protein expression** Wnt-3A

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM ( 820300a)

**Supplements** 10% FBS, 0.4 mg/mL G-418

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Thawing and Culturing Cells**

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

**Incubation Atmosphere** 37°C, 5% CO2' .

L Wnt-3A | 305184

**Flask Coating**

**Freezing Procedure** -78°C

**Shipping Conditions** -78°C

**Storage Conditions** -150°C -196°C .80°C

/ / HLA

**Sterility** PCR