Product sheet

Hep-CLS-E1 | 400196

Description	C3H/HE N- (NDEA) 1 C3H/HE .
Organism	
Tissue	
Disease	
Synonyms	HEP-CLS-E1, E1

Breed/Subspecies	C3H/HE
Age	
Gender	
Morphology	
Growth properties	

Citation	Hep-CLS-E1(400196)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5777

Protein expression	8, 18,

Hep-CLS-E1 | 400196

Tumorigenic	, C3H/HE
Mutational profile	P53
Culture Medium	F12, w: 1.0mM , w: 1.0mM , w: 1.1g/L NaHCO3(820600a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Seeding density	1×10^4 /cm^2
Fluid renewal	3~5
Post-Thaw Recovery	5×10^4/cm^2 , 24 .
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)

Hep-CLS-E1 | 400196

Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	
Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .