

HTH-7 | 305128

Description

HTH-7 (ATC) , . ATC , , . HT
HTH-7 , TERT . TERT , TERT
HTH-7 .
HTH-7 ATC (TDS) . ,

Organism

Tissue

Disease

Synonyms

Hth7, HTh 7, HTh-7, Uhth-7, U-hth7, U-Hth7

Age

74

Gender

Morphology

Growth
properties

Citation

HTh-7 (Cytion 305128)

Biosafety level

1

NCBI_TaxID

9606

CellosaurusAccession

CVCL_6289

Product sheet

HTH-7 | 305128

Culture Medium	RPMI 1640, w: 2.1mM	, w: 2.0g/L NaHCO3(	820700a)
----------------	---------------------	---------------------	----------

Supplements 10% FBS

Dissociation Reagent	
----------------------	--

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density	$1\sim3\times10^4/\text{cm}^2$
-----------------	--------------------------------

Fluid renewal 2~3

Freeze medium	(FBS) + 10% DMSO ,	CM-1(Cytion	800100)
---------------	---------------------	-------------	---------

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere	37°C, 5%CO2' .
-----------------------	----------------

Product sheet

HTH-7 | 305128

Shipping
Conditions

-78°C

Storage
Conditions

-150°C

-196°C

-80°C

Sterility

PCR