

**Hep-70.4 | 400207**

<b>Description</b>	Hep-70.4	, C57BL/6J	.	p53	.8
	Hep-70.4	.	,	.	.
	Hep-70.4	,	K8 K18,	K19	.

<b>Organism</b>	
<b>Tissue</b>	

<b>Disease</b>	
<b>Synonyms</b>	HEP-70.4, 70.4

<b>Breed/Subspecies</b>	C57BL/6J
-------------------------	----------

<b>Age</b>	
<b>Gender</b>	

<b>Morphology</b>	
<b>Growth properties</b>	

<b>Citation</b>	Hep-70.4(	400207)
-----------------	-----------	---------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	10090
-------------------	-------

<b>CellosaurusAccession</b>	CVCL_5772
-----------------------------	-----------

**Hep-70.4 | 400207**

**Tumorigenic** , C3H/He

**Mutational profile** P53

**Culture Medium** DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO<sub>3</sub>, w: 1.0mM ( 820300a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Seeding density**  $1 \times 10^4 / \text{cm}^2$

**Fluid renewal** 3~5

**Post-Thaw Recovery** 24 48 .

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

**Hep-70.4 | 400207**

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	. .

**Incubation Atmosphere** 37°C, 5%<sub>CO2</sub> .

Flask Coating	
.	.

**Freezing Procedure** -78°C . . . . .

Shipping Conditions	
-78°C	.

**Storage Conditions** -150°C -196°C .80°C . . . . .

/ / HLA

Sterility	
PCR	.
.	.