Product sheet

Hep-70.4 | 400207

Description	Hep-70.4 , C57BL/6J . p53 . 8 Hep-70.4 . , . Hep-70.4 , K8 K18, K19 .
Organism	
Tissue	
Disease	
Synonyms	HEP-70.4, 70.4

Breed/Subspecies	C57BL/6J
Age	
Gender	
Morphology	
Growth properties	

Citation	Hep-70.4(400207)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5772

Hep-70.4 | 400207

Tumorigenic	, C3H/He
Mutational profile	P53
Culture Medium	DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Seeding density	1 x 10^4 /cm^2
Fluid renewal	3~5
Post-Thaw Recovery	24 48 .
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)

Hep-70.4 | 400207

Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	
Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .