

CESS | 300262

Description CESS B , IgG CESS
CESS NGF (NG

Organism

Tissue

Disease

Applications T

Synonyms Cess

Gender

Ethnicity

Morphology

Growth properties

Citation CESS(300262)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0209

CESS | 300262

Viruses	EBV				
Products	TRF(T)		IL-2		
Culture Medium	RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)				
Supplements	10% FBS				
Subculturing		PBS	. T25	3~5ml, T75	5~10ml PBS . T25
Seeding density	1 x 10 ⁴ /cm ²				
Fluid renewal	2~3				
Post-Thaw Recovery	48 .				
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)				
Thawing and Culturing Cells	<ol style="list-style-type: none"> 1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. . 				

CESS | 300262

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C -80°C

/ / HLA

Sterility PCR