

HB-CLS-2 | 300191

Description (3) .

Organism

Tissue

Disease

Synonyms HBCLS2

Age 50

Gender

Ethnicity

Morphology

Growth properties

Citation HB-CLS-2(300191)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_6214

Tumorigenic ,

HB-CLS-2 | 300191

Culture Medium DMEM: F12(1:1), w: 3.1 g/L , w: 2.5mM L- , w: 15mM HEPES, w: 0.5mM , w: 1.2 g/L NaHCO3 (Cytion 820

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 2~3

Post-Thaw Recovery $5 \times 10^4 / \text{cm}^2$, 24 .

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

Incubation Atmosphere 37°C, 5% CO2' .

HB-CLS-2 | 300191

Flask Coating

Freezing Procedure

-78°C

Shipping Conditions

-78°C

Storage Conditions

-150°C -196°C .80°C

/ / HLA

Sterility

PCR

HLA

A*: '24:02:01, '32:01:01
B*: '27:02:00, '55:01:01
C*: '02:02:02, '03:03:01
DRB1*: '08:01:01, '10:01:01
DQA1*: '01:05:01, '04:01:01
DQB1*: '04:02:01, '05:01:01
DPB1*: '02:01:02, '03:01:01
E: '01:01, '01:03