

CCRF-CEM-C7 | 300398

Description	CCRF-CEM-C7	T	(ALL)	CCRF-CEM	.	ALL	4
	CCRF-CEM-C7				T		T
		, CCRF-CEM-C7	T		T		

Organism

Tissue	
---------------	--

Disease	T
----------------	---

Synonyms	CCRF-CEM C7, CCRF/CEM-C7, CEM-C7, CEM C7, CEMC7, CEM 7
-----------------	--

Age	3 11
------------	------

Gender

Ethnicity	
------------------	--

Growth properties

Citation	CCRF-CEM-C7(300398)
-----------------	----------------------

NCBI_TaxID	9606
-------------------	------

CellosaurusAccession	CVCL_6825
-----------------------------	-----------

CCRF-CEM-C7 | 300398

Culture Medium RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO3(820700a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
 2. -150°C , 3 .
 3. 37°C 40~60 .
 4. , 70% .
 5. 8ml 15ml .
 6. 300 x g 3 .
 7. 10ml . T25 , T25
 8. .

Incubation Atmosphere 37°C, 5% CO2' .

Flask Coating .

Freezing Procedure -78°C .

CCRF-CEM-C7 | 300398

**Shipping
Conditions**

-78°C

**Storage
Conditions**

-150°C

-196°C

-80°C

/

/ HLA

Sterility

PCR