

**CCRF-CEM-C7 | 300398**

<b>Description</b>	CCRF-CEM-C7	T	(ALL)	CCRF-CEM	.	ALL	4
	CCRF-CEM-C7				.	T	T
		, CCRF-CEM-C7	T			T	

**Organism**

<b>Tissue</b>	
---------------	--

<b>Disease</b>	T
----------------	---

<b>Synonyms</b>	CCRF-CEM C7, CCRF/CEM-C7, CEM-C7, CEM C7, CEMC7, CEM 7
-----------------	--

<b>Age</b>	3 11
------------	------

**Gender**

<b>Ethnicity</b>	
------------------	--

**Growth properties**

<b>Citation</b>	CCRF-CEM-C7( 300398)
-----------------	----------------------

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_6825
-----------------------------	-----------

**CCRF-CEM-C7 | 300398**

**Culture Medium** RPMI 1640, w: 2.0mM , w: 2.0g/L NaHCO<sub>3</sub>( 820700a)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Freeze medium** (FBS ) + 10% DMSO , CM-1(Cytion 800100)

- Thawing and Culturing Cells**
1. .
  2. -150°C , 3 .
  3. 37°C 40~60 .
  4. , 70% .
  5. 8ml 15ml .
  6. 300 x g 3 .
  7. 10ml . T25 , T25
  8. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

**Flask Coating**

**Freezing Procedure** -78°C .

**Shipping Conditions** -78°C .

CCRF-CEM-C7 | 300398

**Storage  
Conditions**

-150°C -196°C .80°C

/ / HLA

**Sterility**

PCR