Product sheet

HPAF-II | 305088

Description	HPAF-II . . HPAF-II HPAF-II . KRAS TP53 CDKN2A
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	HPAF II, HPAFII, HPAF-2, HPAF2, HPAF/CD18, CD18/HPAF, HPAF-II/CD18, CD-18, CD18, CD 18

Age	44
Gender	
Ethnicity	
Morphology	
Growth properties	

Citation	HPAF-II (Cytion 305088)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0313

Product sheet

HPAF-II | 305088

Culture Medium	EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS(820100a)
Supplements	10% FBS 1% NEAA
Dissociation Reagent	
Doubling time	26
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Fluid renewal	2~3
Freeze medium	(FBS) + 10% DMSO , CM-1(Cytion 800100)
Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .

HPAF-II | 305088

Flask Coating

Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .