

SK-N-SH | 305028

<b>Description</b>	SK-N-SH
	SK-N-SH
	SK-N-SH
	SK-N-SH

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** SK N SH, SKN-SH, SK-NSH, SKNSH, NSH

**Age** 4

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** SK-N-SH( 305028)

**Biosafety level** 1

**NCBI\_TaxID** 9606

SK-N-SH | 305028

**CellosaurusAccession** CVCL\_0531

**Protein expression** , - M-Csf .

**Antigen expression** A , Rh

**Culture Medium** EMEM(MEM ), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS( 820100a)

**Supplements** 10% FBS 1% NEAA

**Dissociation Reagent**

**Subculturing** PBS . T25 3~5ml, T75 5~10ml PBS . T25

**Fluid renewal** 2~3

**Freeze medium** 50% + 40% FBS + 10% DMSO CM-1(Cytion 800100)

SK-N-SH | 305028

Thawing and Culturing Cells	
1.	.
2.	-150°C , 3 .
3.	37°C 40~60 .
4.	, 70% .
5.	8ml 15ml .
6.	300 x g 3 .
7.	10ml . T25 , T25
8.	. .

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub> .

Flask Coating	
.	.

**Freezing Procedure** -78°C .

Shipping Conditions	
-78°C	.

**Storage Conditions** -150°C -196°C .80°C .

/ / HLA

Sterility	
PCR	.
.	.