Product sheet

SK-N-SH | 305028

Description	SK-N-SH . , , . SK-N-SH , . 7 9 17 . ,17 SK-N-SH . SK-N-SH SK-N-SH , .
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	SK N SH, SKN-SH, SK-NSH, SKNSH, NSH
Age	4
Gender	
Ethnicity	
Morphology	
Growth properties	
Citation	SK-N-SH (Cytion 305028)
Biosafety level	1
NCBI_TaxID	9606

Product sheet

SK-N-SH | 305028

CellosaurusAccession	CVCL_0531
Protein expression	, - M-Csf .
Antigen expression	A , Rh
Culture Medium	EMEM(MEM), w: 2mM L- , w: 2.2g/L NaHCO3, w: EBSS(820100a)
Supplements	10% FBS 1% NEAA
Dissociation Reagent	
Subculturing	PBS . T25 3~5ml, T75 5~10ml PBS . T25
Split ratio	1:2 ~ 1:4
Fluid renewal	2~3
Freeze medium	50% + 40% FBS + 10% DMSO CM-1(Cytion 800100)

Thawing and Culturing Cells	1. . 2. -150°C , 3 . 3. 37°C 40~60 . 4. , 70% . 5. 8ml 15ml . 6. 300 x g 3 . 7. 10ml . T25 , T25 8. .
Incubation Atmosphere	37°C, 5% $_{CO2}$, .
Flask Coating	
Freezing Procedure	-78°C . .
Shipping Conditions	-78°C . .
Storage Conditions	-150°C -196°C . 80°C .
Sterility	PCR . , .

SK-N-SH | 305028

STR	**Amelogenin**: x,x **CSF1PO**: 11 **D13S317**: 11 **D16S539**: 8,13 **D5S818**: 12 **D7S820**: 7,1 **TH01**: 7,1 **TPOX**: 8,11 **vWA**: 14,18 **D3S1358**: 15, 16 **D21S11**: 31, 31.2 **D18S51**: 13,16 **Penta E**: 7,11 **Penta D**: 10, 12 **D8S1179**: 15 **FGA**: 23.2, 24 **D6S1043**: 12,18 **D2S1338**: 17, 19 **D12S391**: 18,22 **D19S433**: 13, 14